

ASTM 温度计

温度计	货号	温度范围	分度值	长度	浸入长度
ASTM No.1C	10001C	-20 ~ 150℃	1℃	322 mm	76 mm
ASTM No.2C	10002C	-5 ~ 300℃	1℃	390 mm	76 mm
ASTM No.3C	10003C	-5 ~ 400℃	1℃	415 mm	76 mm
ASTM No.4C	10004C	-1 ~ 105℃	0.5℃	375 mm	152 mm
ASTM No.5C	10005C	-38 ~ 50℃	1℃	230 mm	108 mm
ASTM No.6C	10006C	-80 ~ 20℃	1℃	230 mm	76 mm
ASTM No.7C	10007C	-2 ~ 300℃	1℃	385 mm	total
ASTM No.8C	10008C	-2 ~ 400℃	1℃	385 mm	total
ASTM No.9C	10009C	-5 ~ 110℃	0.5℃	290 mm	57 mm
ASTM No.10C	10010C	90 ~ 370℃	2℃	290 mm	57 mm
ASTM No.11C	10011C	-6 ~ 400℃	2℃	310 mm	25 mm
ASTM No.12C	10012C	-20 ~ 102℃	0.2℃	420 mm	total
ASTM No.13C	10013C	155 ~ 170℃	0.5℃	155 mm	total
ASTM No.14C	10014C	38 ~ 82℃	0.1℃	375 mm	79 mm
ASTM No.15C	10015C	-2 ~ 80℃	0.2℃	397 mm	total
ASTM No.16C	10016C	30 ~ 200℃	0.5℃	397 mm	total
ASTM No.17C	10017C	19 ~ 27℃	0.1℃	275 mm	total
ASTM No.18C	10018C	34 ~ 42℃	0.1℃	275 mm	total
ASTM No.19C	10019C	49 ~ 57℃	0.1℃	275 mm	total
ASTM No.20C	10020C	57 ~ 65℃	0.1℃	275 mm	total
ASTM No.21C	10021C	79 ~ 87℃	0.1℃	275 mm	total
ASTM No.22C	10022C	95 ~ 103℃	0.1℃	275 mm	total
ASTM No.23C	10023C	18 ~ 28℃	0.2℃	212 mm	90 mm
ASTM No.24C	10024C	39 ~ 54℃	0.2℃	237 mm	90 mm
ASTM No.25C	10025C	95 ~ 105℃	0.2℃	212 mm	90 mm
ASTM No.26C	10026C	130 ~ 140℃	0.1℃	463 mm	total
ASTM No.27C	10027C	147 ~ 182℃	0.5℃	301 mm	76 mm
ASTM No.28C	10028C	36.6 ~ 39.4℃	0.05℃	305 mm	total
ASTM No.29C	10029C	52.6 ~ 55.4℃	0.05℃	305 mm	total
ASTM No.33C	10033C	-38 ~ 42℃	0.2℃	420 mm	50 mm
ASTM No.34C	10034C	25 ~ 105℃	0.2℃	420 mm	50 mm
ASTM No.35C	10035C	90 ~ 170℃	0.2℃	420 mm	50 mm
ASTM No.36C	10036C	-2 ~ 68℃	0.2℃	405 mm	45 mm
ASTM No.37C	10037C	-2 ~ 52℃	0.2℃	395 mm	100 mm
ASTM No.38C	10038C	24 ~ 78℃	0.2℃	395 mm	100 mm
ASTM No.39C	10039C	48 ~ 102℃	0.2℃	395 mm	100 mm
ASTM No.40C	10040C	72 ~ 126℃	0.2℃	395 mm	100 mm
ASTM No.41C	10041C	98 ~ 152℃	0.2℃	395 mm	100 mm
ASTM No.42C	10042C	95 ~ 255℃	0.5℃	395 mm	100 mm

温度计	货号	温度范围	分度值	长度	浸入长度
ASTM No.43C	10043C	-51.6 ~ 34℃	0.1℃	417 mm	total
ASTM No.44C	10044C	18.5 ~ 21.5℃	0.05℃	305 mm	total
ASTM No.45C	10045C	23.6 ~ 26.4℃	0.05℃	305 mm	total
ASTM No.46C	10046C	48.6 ~ 51.4℃	0.05℃	305 mm	total
ASTM No.47C	10047C	58.6 ~ 61.4℃	0.05℃	305 mm	total
ASTM No.48C	10048C	80.6 ~ 83.4℃	0.05℃	305 mm	total
ASTM No.49C	10049C	20 ~ 70℃	0.2℃	305 mm	65 mm
ASTM No.52C	10052C	-10 ~ 5℃	0.1℃	162 mm	total
ASTM No.53C	10053C	-0.6 ~ 10.4℃	0.1℃	189 mm	total
ASTM No.54C	10054C	20 ~ 100.6℃	0.2℃	310 mm	total
ASTM No.56C	10056C	19 ~ 35℃	0.02℃	585 mm	total
ASTM No.57C	10057C	-20 ~ 50℃	0.5℃	290 mm	57 mm
ASTM No.58C	10058C	-34 ~ 49℃	0.5℃	300 mm	total
ASTM No.59C	10059C	-18 ~ 82℃	0.5℃	300 mm	total
ASTM No.60C	10060C	77 ~ 260℃	1℃	300 mm	total
ASTM No.61C	10061C	32 ~ 127℃	0.2℃	380 mm	79 mm
ASTM No.62C	10062C	-38 ~ 2℃	0.1℃	379 mm	total
ASTM No.63C	10063C	-8 ~ 32℃	0.1℃	379 mm	total
ASTM No.64C	10064C	25 ~ 55℃	0.1℃	379 mm	total
ASTM No.65C	10065C	50 ~ 80℃	0.1℃	379 mm	total
ASTM No.66C	10066C	75 ~ 105℃	0.1℃	379 mm	total
ASTM No.67C	10067C	95 ~ 155℃	0.2℃	379 mm	total
ASTM No.68C	10068C	145 ~ 205℃	0.2℃	379 mm	total
ASTM No.69C	10069C	195 ~ 305℃	0.5℃	379 mm	total
ASTM No.70C	10070C	295 ~ 405℃	0.5℃	379 mm	total
ASTM No.71C	10071C	-37 ~ 21℃	0.5℃	355 mm	76 mm
ASTM No.72C	10072C	-19.4 ~ -16.6℃	0.05℃	305 mm	total
ASTM No.73C	10073C	-41.4 ~ -38.6℃	0.05℃	305 mm	total
ASTM No.74C	10074C	-55.4 ~ -52.6℃	0.05℃	305 mm	total
ASTM No.82C	10082C	-15 ~ 105℃	1℃	165 mm	30 mm
ASTM No.83C	10083C	15 ~ 70℃	1℃	174 mm	40 mm
ASTM No.84C	10084C	25 ~ 80℃	1℃	387 mm	249 mm
ASTM No.85C	10085C	40 ~ 150℃	1℃	314 mm	181 mm
ASTM No.86C	10086C	95 ~ 175℃	1℃	170 mm	35 mm
ASTM No.87C	10087C	150 ~ 205℃	1℃	175 mm	40 mm
ASTM No.88C	10088C	10 ~ 200℃	1℃	287 mm	57 mm
ASTM No.89C	10089C	-20 ~ 10℃	0.1℃	370 mm	76 mm
ASTM No.90C	10090C	0 ~ 30℃	0.1℃	370 mm	76 mm
ASTM No.91C	10091C	20 ~ 50℃	0.1℃	370 mm	76 mm
ASTM No.92C	10092C	40 ~ 70℃	0.1℃	370 mm	76 mm
ASTM No.93C	10093C	60 ~ 90℃	0.1℃	370 mm	76 mm

温度计	货号	温度范围	分度值	长度	浸入长度
ASTM No.94C	10094C	80 ~ 110℃	0.1℃	370 mm	76 mm
ASTM No.95C	10095C	100 ~ 130℃	0.1℃	370 mm	76 mm
ASTM No.96C	10096C	120 ~ 150℃	0.1℃	370 mm	76 mm
ASTM No.97C	10097C	-18 ~ 49℃	0.5℃	300 mm	total
ASTM No.98C	10098C	16 ~ 82℃	0.5℃	300 mm	total
ASTM No.99C	10099C	-50 ~ 5℃	0.2℃	305 mm	35 mm
ASTM No.100C	10100C	-145 ~ 205℃	0.2℃	370 mm	76 mm
ASTM No.101C	10101C	195 ~ 305℃	0.5℃	370 mm	76 mm
ASTM No.102C	10102C	123 ~ 177℃	0.2℃	395 mm	100 mm
ASTM No.103C	10103C	148 ~ 202℃	0.2℃	395 mm	100 mm
ASTM No.104C	10104C	173 ~ 227℃	0.2℃	395 mm	100 mm
ASTM No.105C	10105C	198 ~ 252℃	0.2℃	395 mm	100 mm
ASTM No.106C	10106C	223 ~ 277℃	0.2℃	395 mm	100 mm
ASTM No.107C	10107C	248 ~ 302℃	0.2℃	395 mm	100 mm
ASTM No.110C	10110C	133.6~ 136.4℃	0.05℃	305 mm	total
ASTM No.111C	10111C	170 ~ 250℃	0.2℃	395 mm	100 mm
ASTM No.112C	10112C	4 ~ 6℃	0.02℃	215 mm	total
ASTM No.113C	10113C	-1 ~ 175℃	0.5℃	406 mm	total
ASTM No.114C	10114C	-80 ~ 20℃	0.5℃	300 mm	total
ASTM No.115C	10115C	0 ~ 6℃	0.01℃	610 mm	total
ASTM No.116C	10116C	18.9 ~ 25.1℃	0.01℃	609 mm	total
ASTM No.117C	10117C	23.9 ~ 30.1℃	0.01℃	609 mm	total
ASTM No.118C	10118C	28.6 ~ 31.4℃	0.05℃	305 mm	total
ASTM No.119C	10119C	-38.3 ~ -30℃	0.05℃	305 mm	total
ASTM No.120C	10120C	38.6 ~ 41.4℃	0.05℃	305 mm	total
ASTM No.121C	10121C	98.6 ~ 101.4℃	0.05℃	305 mm	total
ASTM No.122C	10122C	-45 ~ -35℃	0.1℃	300 mm	total
ASTM No.123C	10123C	-35 ~ -25℃	0.1℃	300 mm	total
ASTM No.124C	10124C	-25 ~ -15℃	0.1℃	300 mm	total
ASTM No.125C	10125C	-15 ~ -5℃	0.1℃	300 mm	total
ASTM No.126C	10126C	-27.4 ~ 24.6℃	0.05℃	305 mm	total
ASTM No.127C	10127C	-21.4 ~ -18.6℃	0.05℃	305 mm	total
ASTM No.128C	10128C	-1.4 ~ 1.4℃	0.05℃	305 mm	total
ASTM No.129C	10129C	91.6 ~ 94.4℃	0.05℃	305 mm	total
ASTM No.130C	10130C	-7 ~ 110℃	0.5℃	305 mm	total
ASTM No.132C	10132C	148.6 ~ 151.4℃	0.05℃	305 mm	total
ASTM No.133C	10133C	-38 ~ 2℃	0.1℃	379 mm	76 mm
ASTM No.134C	10134C	144 ~ 156℃	0.2℃	270 mm	100 mm
ASTM No.135C	10135C	38 ~ 93℃	1℃	168 mm	40 mm
ASTM No.136C	10136C	-20 ~ 60℃	0.2℃	285 mm	total
ASTM No.137C	10137C	80 ~ 100℃	0.1℃	250 mm	76 mm